TOWN OF CEDARBURG ORDINANCE NO. 2023-10

An Ordinance to Repeal and Replace Chapter 110 Construction Site Erosion Control and Sediment Control, of the Town of Cedarburg Code of Ordinances, Ozaukee County, Wisconsin.

- WHEREAS, The Town of Cedarburg is a body corporate and politic; and
- WHEREAS, the Town Board exercises village powers by Ch. 61, Wis. Stats.; and
- WHEREAS, the Town of Cedarburg adopted Chapter 110 Construction Site Erosion Control through approval of Ordinance 2008-17 on October 1, 2008 and most recently amended through Ordinance 2021-4 on May 5, 2021; and
- **WHEREAS,** the Town of Cedarburg Director of Public Works or designee administers and enforces the provisions of this Chapter; and
- WHEREAS, Use of this ordinance will foster consistent, statewide application of the construction site performance standards for new development and redevelopment contained in subchapters III and IV of Ch. NR 151, Wis. Adm. Code.
- WHEREAS, the Town Board recognizes updates to the current Chapter 110 Construction Site Erosion Control, adding Sediment Control, are required as a part of the MS4 permit the Town of Cedarburg has received from the Wisconsin Department of Natural Resources;

NOW, THEREFORE, BE IT ORDAINED by the Town Board of the Town of Cedarburg, Ozaukee County, Wisconsin, that Chapter 110 Construction Site Erosion Control and Sediment Control of the Town of Cedarburg Code of Ordinances is hereby repealed and replaced to read as follows:

Note: This Chapter 110 Construction Site Erosion Control and Sediment Control ordinance repeals and replaces all previous versions of Sections 110-1 through 110-15 of the Town of Cedarburg Code of Ordinances.

§ 110-1. Authority.

- A. This ordinance is adopted under the authority granted by s. 60.627, Wis. Stats. This ordinance supersedes all provisions of an ordinance previously enacted under s. 60.62, Wis. Stats., that relate to construction site erosion control. Except as otherwise specified in s. 60.627, Wis. Stats., s. 60.62, Wis. Stats., applies to this ordinance and to any amendments to this ordinance.
- B. The provisions of this ordinance are deemed not to limit any other lawful regulatory powers of the same governing body.
- C. The Town Board hereby designates the Director of Public Works and/or an authorized designee designated by the Director of Public Works (hereinafter in this chapter referred to as "designee") to administer and enforce the provisions of this ordinance.
- D. The requirements of this ordinance do not preempt more stringent erosion and sediment control requirements that may be imposed by any of the following:
 - (1)Wisconsin Department of Natural Resources administrative rules, permits or approvals, including those authorized under §§ 281.16 and 283.33, Wis. Stats.
 - (2) Targeted nonagricultural performance standards promulgated in rules by the Wisconsin Department of Natural Resources under § NR 151.004, Wis. Adm. Code.

§ 110-2. Findings of fact.

The Town Board acknowledges that runoff from land-disturbing construction activity carries a significant amount of sediment and other pollutants to the waters of the state in the Town of Cedarburg.

§ 110-3. Purpose.

It is the purpose of this ordinance to maintain safe and healthful conditions; prevent and control water pollution; prevent and control soil erosion; protect spawning grounds, fish and aquatic life; control building sites, placement of structures and land uses; preserve ground cover and scenic beauty; and promote sound economic growth by minimizing the amount of sediment and other pollutants carried by runoff or discharged from land-disturbing construction activity to waters of the state in the Town of Cedarburg.

§ 110-4. Applicability and jurisdiction.

A. Applicability.

- (1) Except as provided under par. (2), this ordinance applies to any construction site as defined under S. 110-14 "Construction Site."
- (2) This ordinance does not apply to the following:
 - (a) Transportation facilities, except transportation facility construction projects that are part of a larger common plan of development such as local roads within a residential or industrial development.
 - (b) A construction project that is exempted by federal statutes or regulations from the requirement to have a national pollutant discharge elimination system permit issued under chapter 40, Code of Federal Regulations, part 122, for land disturbing construction activity.
 - (c) Nonpoint discharges from agricultural facilities and practices.
 - (d) Nonpoint discharges from silviculture activities.
 - (e) Routine maintenance for project sites that have less than 5 acres of land disturbance if performed to maintain the original line and grade, hydraulic capacity, or original purpose of the facility.
- (3) Notwithstanding the applicability requirements in Subsection A.(1), this ordinance applies to construction sites of any size that, as determined by the Director of Public Works or designee, are likely to result in runoff that exceeds the safe capacity of the existing drainage facilities or receiving body of water, that causes undue channel erosion, or that increases water pollution by scouring or transporting of particulate, including:
 - (a) Those requiring a subdivision plat approval or the construction of houses or commercial, industrial, or institutional buildings on lots of approved certified surveys.
 - (b) Those requiring a certified survey approval or the construction of houses of commercial, industrial, or institutional buildings on lots of approved certified surveys.
 - (c) Those involving grading, removal of protective ground cover or vegetation, excavation, land filling or other land-disturbing activity affecting a surface area of 4,000 square feet or more
 - (d) Those involving excavation or filling or a combination of excavation and filling affecting 400 cubic yards or more of dirt, sand or other excavation or fill material.
 - (e) Those involving street, highway, road or bridge construction, enlargement, relocation, or reconstruction.
 - (f) Those involving the laying, repairing, replacing, or enlarging of an underground pipe or facility for a distance of 300 feet or more. (Note: The above applicability criteria are specifically stated in 1983 Wisconsin Act 416 for inclusion in this chapter. Utility companies responsible for energy repair work should enter into a memorandum of agreement with the Town Director of Public Works or designee clearly stating their responsibilities if their activities may be included under any of the above applicability criteria.)
- B. Jurisdiction. This ordinance applies to land-disturbing construction activity on construction sites located within the boundaries and jurisdiction of the Town of Cedarburg.
- C. Exclusions. This ordinance is not applicable to activities conducted by a state agency, as defined under

s. 227.01 (1), Wis. Stats., but also including the office of District Attorney, which is subject to the state plan promulgated, or a memorandum of understanding entered into under § 281.33(2), Wis. Stats.

110-5. Technical standards

All BMPs required for compliance with this ordinance shall meet design criteria, standards and specifications based on any of the following:

- A. Design guidance and technical standards identified or developed by the Wisconsin Department of Natural Resources under subchapter V of chapter NR 151, Wis. Adm. Code.
- B. Soil loss prediction tools (such as the Universal Soil Loss Equation (USLE)) when using an appropriate rainfall or runoff factor (also referred to as the R factor) or an appropriate design storm and precipitation distribution, and when considering the geographic location of the site and the period of disturbance.
- C. Technical standards and methods approved by the Director of Public Works or designee.

§ 110-6. Performance standards for Construction of One Acre or More.

- A. Responsible party. The responsible party shall comply with this section and implement the erosion and sediment control plan developed in accordance with S. 110-8.
- B. Erosion and sediment control plan. A written site-specific erosion and sediment control plan shall be developed in accordance with S. 110-8. of this ordinance and implemented for each construction site.
- C. Erosion and other pollutant control requirements. The erosion and sediment control plan required under Subsection B. shall include the following:
 - (1) Erosion and sediment control practices. Erosion and sediment control practices at each site where land disturbing construction activity is to occur shall be used to prevent or reduce all of the following:
 - (a) The deposition of soil from being tracked onto streets by vehicles.
 - (b) The discharge of sediment from disturbed areas into on-site storm water inlets.
 - (c) The discharge of sediment from disturbed areas into adjacent waters of the state.
 - (d) The discharge of sediment from drainage ways that flow off the site.
 - (e) The discharge of sediment by dewatering activities.
 - (f) The discharge of sediment eroding from soil stockpiles existing for more than 7 days.
 - (g) The discharge of sediment from erosive flows at outlets and in downstream channels.
 - (h) The transport by runoff into waters of the state of chemicals, cement, and other building compounds and materials on the construction site during the construction period. However, projects that require the placement of these materials in waters of the state, such as constructing bridge footings or BMP installations, are not prohibited by this subdivision.
 - (i) The transport by runoff into waters of the state of untreated wash water from vehicle and wheel washing.
 - (2) Sediment Performance Standards. In addition to the erosion and sediment control practices under Subsection C.(1) the following erosion and sediment control practices shall be employed:
 - (a) BMPs that, by design, discharge no more than 5 tons per acre per year, or to the maximum extent practicable, of the sediment load carried in runoff from initial grading to final stabilization. Electronic soil loss spreadsheet calculation file(s) shall be submitted with the erosion control plan.
 - (b) No person shall be required to employ more BMPs than are needed to meet a performance standard in order to comply with maximum extent practicable. Erosion and sediment control BMPs may be combined to meet the requirements of this paragraph. Credit may be given toward meeting the sediment performance standard of this paragraph for limiting the duration or area, or both, of land disturbing construction activity, or for other appropriate mechanisms.
 - (c) Notwithstanding Subsection C.(2)(a) if BMPs cannot be designed and implemented to meet the sediment performance standard, the erosion and sediment control plan shall include a written, site-specific explanation of why the sediment performance standard cannot be met

and how the sediment load will be reduced to the maximum extent practicable.

- (3) Preventative Measures. The erosion and sediment control plan shall incorporate all of the following:
 - (a) Maintenance of existing vegetation, especially adjacent to surface waters whenever possible.
 - (b) Minimization of soil compaction and preservation of topsoil.
 - (c) Minimization of land disturbing construction activity on slopes of 20 percent or more.
 - (d) Development of spill prevention and response procedures.
- (4) Location. The BMPs used to comply with this section shall be located so that treatment occurs before runoff enters waters of the state.
- D. Implementation. The BMPs used to comply with this section shall be implemented as follows:
 - (1) Erosion and sediment control practices shall be constructed or installed before land disturbing construction activities begin in accordance with the erosion and sediment control plan developed in S. 110-6 B.
 - (2) Erosion and sediment control practices shall be maintained until final stabilization.
 - (3) Final stabilization activity shall commence when land disturbing activities cease and final grade has been reached on any portion of the site.
 - (4) Temporary stabilization activity shall commence when land disturbing activities have temporarily ceased and will not resume for a period exceeding 14 calendar days.
 - (5) BMPs that are no longer necessary for erosion and sediment control shall be removed by the responsible party.

§ 110-7. Permitting requirements, procedures and fees

- A. Permit required. No responsible party may commence a land disturbing construction activity subject to this ordinance without receiving prior approval of an erosion and sediment control plan for the site and a permit from the Director of Public Works or designee.
- B. Permit application and fees. The responsible party that will undertake a land disturbing construction activity subject to this ordinance shall submit an application for a permit and an erosion and sediment control plan that meets the requirements of S. 110-8, and shall pay an application fee to the Director of Public Works or designee in the amount specified in S. 110-9. By submitting an application, the applicant is authorizing the Director of Public Works or designee to enter the site to obtain information required for the review of the erosion and sediment control plan.
- C. Permit application review and approval. The Director of Public Works or designee shall review any permit application that is submitted with an erosion and sediment control plan, and the required fee. The following approval procedure shall be used:
 - (1) Within 15 business days of the receipt of a complete permit application, as required by sub. B., the Director of Public Works or designee shall inform the applicant whether the application and erosion and sediment control plan are approved or disapproved based on the requirements of this ordinance.
 - (2) If the permit application and erosion and sediment control plan are approved, the Director of Public Works or designee shall issue the permit.
 - (3) If the permit application or erosion and sediment control plan is disapproved, the Director of Public Works or designee shall state in writing the reasons for disapproval.
 - (4) The Director of Public Works or designee may request additional information from the applicant. If additional information is submitted, the Director of Public Works or designee shall have 10 business days from the date the additional information is received to inform the applicant that the erosion and sediment control plan is either approved or disapproved.
 - (5) Failure by the Director of Public Works or designee to inform the permit applicant of a decision within 10 business days of a required submittal shall be deemed to mean approval of the submittal and the applicant may proceed as if a permit had been issued.
- D. Surety Bond. As a condition of approval and issuance of the permit, the Director of Public Works or designee may require the applicant to deposit a surety bond or irrevocable letter of credit to guarantee a

good faith execution of the approved erosion and sediment control plan and any permit conditions. E. Permit requirements. All permits shall require the responsible party to:

- (1) Notify the Director of Public Works or designee within 48 hours of commencing any land disturbing construction activity.
- (2) Notify the Director of Public Works or designee of completion of any BMPs within 14 days after their installation.
- (3) Obtain permission in writing from the Director of Public Works or designee prior to any modification pursuant to S. 110-8 C. of the erosion and sediment control plan.
- (4) Install all BMPs as identified in the approved erosion and sediment control plan.
- (5) Maintain all road drainage systems, storm water drainage systems, BMPs and other facilities identified in the erosion and sediment control plan.
- (6) Provide the Director of Public Works or designee with a twenty-four-hour contact name and telephone number.
- (7) Repair any siltation or erosion damage to adjoining surfaces and drainage ways resulting from land disturbing construction activities and document repairs in a site inspection log; remove accumulated sediment from downstream culverts, storm sewers, and other drainage facilities.
- (8) Inspect the BMPs within 24 hours after each rain of 0.5 inches or more which results in runoff during active construction periods, and at least once each week. Make needed repairs and install additional BMPs, as necessary, and document these activities in an inspection log that also includes the date of inspection, the name of the person conducting the inspection, and a description of the present phase of the construction at the site.
- (9) Allow the Director of Public Works or designee to enter the site for the purpose of inspecting compliance with the erosion and sediment control plan or for performing any work necessary to bring the site into compliance with the erosion and sediment control plan. Keep a copy of the erosion and sediment control plan at the construction site.
- F. Permit conditions. Permits issued under this section may include conditions established by Director of Public Works or designee in addition to the requirements set forth in sub. E., where needed to assure compliance with the performance standards in S. 110-6.
- G. Permit duration. Permits issued under this section shall be valid for a period of 180 days, or the length of the building permit or other construction authorizations, whichever is longer, from the date of issuance. The Director of Public Works or designee may grant one or more extensions not to exceed 180 days cumulatively. The Director of Public Works or designee may require additional BMPs as a condition of an extension if they are necessary to meet the requirements of this ordinance.
- H. Maintenance. The responsible party throughout the duration of the construction activities shall maintain all BMPs necessary to meet the requirements of this ordinance until the site has undergone final stabilization.

§ 110-8. Erosion and sediment control plan, statement and amendments.

A. Erosion and sediment control plan statement. For each construction site identified under S. 110-4 A. (3), an erosion and sediment control plan statement shall be prepared. This statement shall be submitted to the Director of Public Works or designee. The erosion and sediment control plan statement shall briefly describe the site, the development schedule, and the BMPs that will be used to meet the requirements of the ordinance. A site map shall also accompany the erosion and sediment control plan statement. B. Erosion and sediment control plan requirements.

- (1) An erosion and sediment control plan shall be prepared and submitted to the Director of Public Works or designee.
- (2) The erosion and sediment control plan shall be designed to meet the performance standards in S. 110-6 and other requirements of this ordinance.
- (3) The erosion and sediment control plan shall address pollution caused by soil erosion and sedimentation during construction and up to final stabilization of the site. The erosion and sediment control plan shall include, at a minimum, the following items:
 - (a) Name(s) and address(es) of the owner or developer of the site, and of any consulting firm retained by the applicant, together with the name of the applicant's principal contact at such

firm. The application shall also include start and end dates for construction.

- (b) Description of the construction site and the nature of the land disturbing construction activity, including representation of the limits of land disturbance on a United States Geological Service 7.5 minute series topographic map.
- (c) Description of the intended sequence of major land disturbing construction activities for major portions of the construction site, including stripping and clearing; rough grading; construction of utilities, infrastructure, and buildings; and final grading and landscaping. Sequencing shall identify the expected date on which clearing will begin, the estimated duration of exposure of cleared areas, areas of clearing, installation of temporary erosion and sediment control measures, and establishment of permanent vegetation.
- (d) Estimates of the total area of the construction site and the total area of the construction site that is expected to be disturbed by land disturbing construction activities.
- (e) Calculations to show the compliance with the performance standard in S. 110-6 C.(2)
- (f) Existing data describing the surface soil as well as subsoils.
- (g) Depth to groundwater, as indicated by Natural Resources Conservation Service soil information where available.
- (h) Name of the immediate named receiving water from the United States Geological Service 7.5 minute series topographic maps.
- (4) The erosion and sediment control plan shall include a site map. The site map shall include the following items and shall be at a scale not greater than 100 feet per inch and at a contour interval not to exceed five feet.
 - (a) Existing topography, vegetative cover, natural and engineered drainage systems, roads, and surface waters. Lakes, streams, wetlands, channels, ditches, and other watercourses on and immediately adjacent to the site shall be shown. Any identified 100-year flood plains, flood fringes and floodways shall also be shown.
 - (b) Boundaries of the construction site.
 - (c) Drainage patterns and approximate slopes anticipated after major grading activities.
 - (d) Areas of soil disturbance.
 - (e) Location of major structural and non-structural controls identified in the erosion and sediment control plan.
 - (f) Location of areas where stabilization BMPs will be employed.
 - (g) Areas which will be vegetated following land disturbing construction activities.
 - (h) Area(s) and location(s) of wetland on the construction site, and locations where storm water is discharged to a surface water or wetland within one-quarter mile downstream of the construction site.
 - (i) Area(s) used for infiltration of post-construction storm water runoff.
 - (i) An alphanumeric or equivalent grid overlying the entire construction site map.
- (5) Each erosion and sediment control plan shall include a description of appropriate control BMPs that will be installed and maintained at the construction site to prevent pollutants from reaching waters of the state. The erosion and sediment control plan shall clearly describe the appropriate erosion and sediment control BMPs for each major land disturbing construction activity and the timing during the period of land disturbing construction activity that the erosion and sediment control BMPs will be implemented. The description of erosion and sediment control BMPs shall include, when appropriate, the following minimum requirements:
 - (a) Description of interim and permanent stabilization practices, including a BMP implementation schedule. The erosion and sediment control plan shall ensure that existing vegetation is preserved where attainable and that disturbed portions of the site are stabilized.
 - (b) Description of structural practices to divert flow away from exposed soils, store flows or otherwise limit runoff and the discharge of pollutants from the site. Unless otherwise specifically approved in writing by the Director of Public Works or designee, structural measures shall be installed on upland soils.
 - (c) Management of overland flow at all areas of the construction site, unless otherwise controlled by outfall controls.
 - (d) Trapping of sediment in channelized flow.

- (e) Staging land disturbing construction activities to limit exposed soil areas subject to erosion.
- (f) Protection of downslope drainage inlets where they occur.
- (g) Minimization of tracking at all vehicle and equipment entry and exit locations of the construction site.
- (h) Clean up of off-site sediment deposits.
- (i) Proper disposal of building and waste material.
- (j) Stabilization of drainage ways
- (k) Installation of permanent stabilization practices as soon as possible after final grading.
- (I) Minimization of dust to the maximum extent practicable.
- (6) The erosion and sediment control plan shall require that velocity dissipation devices be placed at discharge locations and along the length of any outfall channel as necessary to provide a non-erosive flow from the structure to a water course so that the natural physical and biological characteristics and functions are maintained and protected.
- C. Erosion and sediment control plan amendments. The applicant shall amend the erosion and sediment control plan if any of the following occur:
 - (1) There is a change in design, construction, operation, or maintenance at the site which has the reasonable potential for the discharge of pollutants to waters of the state and which has not otherwise been addressed in the erosion and sediment control plan.
 - (2) The actions required by the erosion and sediment control plan fail to reduce the impacts of pollutants carried by construction site runoff.
 - (3) The Director of Public Works or designee notifies the applicant of changes needed in the erosion and sediment control plan.

§ 110-9. Fee schedule.

The fees referred to in other sections of this ordinance shall be established by the Town Board and may from time to time be modified by resolution. A schedule of the fees established by the Town Board shall be available for review at the Town Hall.

§ 110-10. Inspection.

If land disturbing construction activities are occurring without a permit required by this ordinance, the Director of Public Works or designee may enter the land pursuant to the provisions of ss. 66.0119 (1), (2), and (3), Wis. Stats.

§ 110-11. Enforcement.

- A. The Director of Public Works or designee may post a stop work order if any of the following occurs:
 - (1) Land disturbing construction activity regulated under this ordinance is occurring without a permit.
 - (2) The erosion and sediment control plan is not being implemented in good faith.
 - (3) The conditions of the permit are not being met.
- B. If the responsible party does not cease activity as required in a stop work order posted under this section or fails to comply with the erosion and sediment control plan or permit conditions, the Director of Public Works or designee may revoke the permit.
- C. If the responsible party, where no permit has been issued or the permit has been revoked, does not cease the activity after being notified by the Director of Public Works or designee, or if a responsible party violates a stop work order posted under sub. A., the Director of Public Works or designee may request the Town Attorney to obtain a cease-and-desist order in any court with jurisdiction.
- D. The Director of Public Works or designee may retract the stop work order issued under sub. A. or the permit revocation under sub. B.

- E. After posting a stop work order under sub. A., the Director of Public Works or designee may issue a notice of intent to the responsible party of its intent to perform work necessary to comply with this ordinance. The Director of Public Works or desginee may go on the land and commence the work after issuing the notice of intent. The costs of the work performed under this subsection by the Director of Public Works or desginee, plus interest at the rate authorized by Director of Public Works or designee shall be billed to the responsible party. In the event a responsible party fails to pay the amount due, the clerk shall enter the amount due on the tax rolls and collect as a special assessment against the property pursuant to subch. VII of ch. 66, Wis. Stats.
- F. Any person violating any of the provisions of this ordinance shall be subject to a forfeiture per the Town Schedule of Cash Deposits and the costs of prosecution for each violation. Each day a violation exists shall constitute a separate offense.
- G. Compliance with the provisions of this ordinance may also be enforced by injunction in any court with jurisdiction. It shall not be necessary to prosecute for forfeiture or a cease-and-desist order before resorting to injunctional proceedings.

§ 110-12 Appeals.

- A. Board of Zoning Appeals. The Board of Zoning Appeals created pursuant to section 16-2 of the Town's ordinance pursuant to s. 60.65, Wis. Stats.:
 - (1) Shall hear and decide appeals where it is alleged that there is error in any order, decision or determination made by the Director of Public Works or designee in administering this ordinance except for cease-and-desist orders obtained under S. 110-11 C.
 - (2) May authorize, upon appeal, variances from the provisions of this ordinance which are not contrary to the public interest and where owing to special conditions a literal enforcement of the provisions of the ordinance will result in unnecessary hardship; and
 - (3) Shall use the rules, procedures, duties, and powers authorized by statute in hearing and deciding appeals and authorizing variances.
- B. Who may appeal. Appeals to the Board of Zoning Appeals may be taken by any aggrieved person or by any office, department, board, or bureau of the Town of Cedarburg affected by any decision of the Director of Public Works or designee.

§ 110-13 Severability.

If a court of competent jurisdiction judges any section, clause, provision, or portion of this ordinance unconstitutional or invalid, the remainder of the ordinance shall remain in force and not be affected by such judgment.

§ 110-14 Definitions.

ADMINISTERING AUTHORITY

A governmental employee, or a regional planning commission empowered under s. 60.627, Wis. Stats., that is designated by the Town Board to administer this ordinance.

AGRICULTURAL FACILITIES AND PRACTICES

Has the meaning in s. 281.16 (1), Wis. Stats.

Maximum extent practicable applies when a person who is subject to a performance standard of this ordinance demonstrates to the Director of Public Works or designees' satisfaction that a performance standard is not achievable and that a lower level of performance is appropriate. In making the assertion that a performance standard is not achievable and that a level of performance different from the performance standard is the maximum extent practicable, the responsible party shall take into account the best available technology, cost effectiveness, geographic features, and other competing interests such as protection of public safety and welfare, protection of endangered and threatened resources, and preservation of historic properties.

BEST MANAGEMENT PRACTICE or "BMP"

Structural or non-structural measures, practices, techniques, or devices employed to avoid or minimize soil, sediment or pollutants carried in runoff to waters of the state.

BUSINESS DAY

A day the office of the Director of Public Works or designee is routinely and customarily open for business.

CEASE AND DESIST ORDER

A court-issued order to halt land disturbing construction activity that is being conducted without the required permit or in violation of a permit issued by the Director of Public Works or designee.

CONSTRUCTION SITE

An area upon which one or more land disturbing construction activities occur, including areas that are part of a larger common plan of development or sale where multiple separate and distinct land disturbing construction activities may be taking place at different times on different schedules but under one plan. A long-range planning document that describes separate construction projects, such as a 20-year transportation improvement plan, is not a common plan of development.

DESIGN STORM

A hypothetical discrete rainstorm characterized by a specific duration, temporal distribution, rainfall intensity, return frequency and total depth of rainfall.

DIVISION OF LAND

The creation from one parcel of two or more parcels or building sites of five or fewer acres each in area where such creation occurs at one time or through the successive partition within a 5-year period.

EROSION

The process by which the land's surface is worn away by the action of wind, water, ice, or gravity.

EROSION AND SEDIMENT CONTROL PLAN

A comprehensive plan developed to address pollution caused by erosion and sedimentation of soil particles or rock fragments during construction.

EXTRATERRITORIAL

The unincorporated area within 3 miles of the corporate limits of a first, second, or third class city, or within 1.5 miles of a fourth class city or village.

FINAL STABILIZATION

All land disturbing construction activities at the construction site have been completed and that a uniform perennial vegetative cover has been established with a density of at least 70 percent of the cover for the unpaved areas and areas not covered by permanent structures or that employ equivalent permanent stabilization measures.

GOVERNING BODY

The Town Board of Supervisors of the Town of Cedarburg.

LAND DISTURBING CONSTRUCTION ACTIVITY

Any man-made alteration of the land surface resulting in a change in the topography or existing vegetative or non-vegetative soil cover, that may result in runoff and lead to an increase in soil erosion and movement of sediment into waters of the state. Land disturbing construction activity includes clearing and grubbing, demolition, excavating, pit trench dewatering, filling and grading activities.

LANDOWNER

Any person holding fee title, an easement or other interest in property, which allows the person to undertake cropping, livestock management, land disturbing construction activity or maintenance of storm water BMPs on the property.

MAXIMUM EXTENT PRACTICABLE

The highest level of performance that is achievable but is not equivalent to a performance standard

identified in this ordinance as determined in accordance with this ordinance.

PERFORMANCE STANDARD

A narrative or measurable number specifying the minimum acceptable outcome for a facility or practice.

PERMIT

A written authorization made by the Director of Public Works or designee to the applicant to conduct land disturbing construction activity or to discharge post-construction runoff to waters of the state.

POLLUTANT

The meaning given in s. 283.01 (13), Wis. Stats.

POLLUTION

The meaning given in s. 281.01 (10), Wis. Stats.

RESPONSIBLE PARTY

The landowner or any other entity performing services to meet the requirements of this ordinance through a contract or other agreement.

RUNOFF

Storm water or precipitation including rain, snow or ice melt or similar water that moves on the land surface via sheet or channelized flow.

SEDIMENT

Settleable solid material that is transported by runoff, suspended within runoff, or deposited by runoff away from its original location.

SILVICULTURE ACTIVITY

Activities including tree nursery operations, tree harvesting operations, reforestation, tree thinning, prescribed burning, and pest and fire control. Clearing and grubbing of an area of a construction site is not a silviculture activity.

SITE

The entire area included in the legal description of the land on which the land disturbing construction activity is proposed in the permit application.

STOP WORK ORDER

An order issued by the Director of Public Works or designee which requires that all construction activity on the site be stopped.

TECHNICAL STANDARD

A document that specifies design, predicted performance and operation and maintenance specifications for a material, device, or method.

TRANSPORTATION FACILITY

A highway, a railroad, a public mass transit facility, a public-use airport, a public trail, or any other public work for transportation purposes such as harbor improvements under s. 85.095 (1)(b), Wis. Stats. "Transportation facility" does not include building sites for the construction of public buildings and buildings that are places of employment that are regulated by the Department pursuant to s. 281.33, Wis. Stats.

WATERS OF THE STATE

Those portions of Lake Michigan and Lake Superior within the boundaries of this state, and all lakes, bays, rivers, streams, springs, ponds, wells, impounding reservoirs, marshes, watercourses, drainage systems and other surface water or groundwater, natural or artificial, public, or private, within this state or its jurisdiction.

§ 110-15. Adoption and effective date.

The above and foregoing ordinance was duly adopted by the Town Board of Town of Cedarburg on the seventh day of June, 2023, repealing and replacing all previous provisions of this ordinance.

This ordinance shall be in full force and effect upon its passage and posting as provided by law.

PASSED AND ADOPTED by the Town Board of the Town of Cedarburg, Ozaukee County, Wisconsin, this 7th day of June, 2023.

David M. Salvaggio Town Chairman

Ja¢k John∜ton

Assistant Administrator/Clerk